
166 +/- ac Southeastern REI LLC (Keating) Bladen BC

Bladen County, North Carolina, 166 AC +/-





| Boundary 166.52 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | СРІ | NCCPI | CAP |
|-----------|--|---------------|-------|-----|-------|------|
| JO | Johnston mucky loam | 33.54 | 20.14 | 0 | 47 | 7w |
| RaA | Rains fine sandy loam, 0 to 2 percent slopes, Southern Coastal Plain | 33.42 | 20.07 | 0 | 68 | 4w |
| Jh | Johns fine sandy loam | 23.89 | 14.35 | 0 | 70 | 2w |
| Ro | Roanoke loam | 15.65 | 9.4 | 0 | 64 | 4w |
| GbA | Goldsboro sandy loam, 0 to 3 percent slopes | 14.88 | 8.94 | 0 | 78 | 2w |
| LnA | Lynchburg fine sandy loam, 0 to 2 percent slopes, Southern Coastal Plain | 14.39 | 8.64 | 0 | 38 | 2w |
| Ca | Cape Fear loam | 13.98 | 8.39 | 0 | 67 | 3w |
| BuA | Butters fine sand, 0 to 2 percent slopes | 8.55 | 5.13 | 0 | 49 | 2s |
| KeA | Kenansville sand, 0 to 3 percent slopes | 4.24 | 2.55 | 0 | 40 | 2s |
| Pe | Pantego loam | 1.63 | 0.98 | 0 | 81 | 3w |
| Ce | Centenary sand | 1.4 | 0.84 | 0 | 43 | 3s |
| AuA | Autryville loamy sand, 0 to 3 percent slopes | 0.58 | 0.35 | 0 | 48 | 2s |
| JT | Johnston mucky loam | 0.37 | 0.22 | 0 | 47 | 7w |
| TOTALS | | 166.5 3(*) | 100% | - | 60.01 | 3.71 |

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

| Land, Capability | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 'Wild Life' | • | • | • | • | • | • | • | • |
| Forestry | • | • | • | • | • | • | • | |
| Limited | • | • | • | • | • | • | • | |
| Moderate | • | • | • | • | • | • | | |
| Intense | • | • | • | • | • | | | |
| Limited | • | • | • | • | | | | |
| Moderate | • | • | • | | | | | |
| Intense | • | • | | | | | | |
| Very Intense | • | | | | | | | |

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water